NOTICE

THIS DOCUMENT HAS BEEN REPRODUCED FROM MICROFICHE. ALTHOUGH IT IS RECOGNIZED THAT CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED IN THE INTEREST OF MAKING AVAILABLE AS MUCH INFORMATION AS POSSIBLE

AgRISTARS

"Made available under NASA sponsorship in the interest of early and wide dissemination of Earth Resources Survey Program information and without liability for any use made thereof."

Early Warning and Crop
Condition Assessment

81-10073

EW-LO-00703 CR-140870 JSC-16375

OCT O G TOOP

A Joint Program for Agriculture and Resources Inventory Surveys Through Aerospace Remote Sensing

September 1980

LIMITED AREA COVERAGE/HIGH RESOLUTION PICTURE TRANSMISSION (LAC/HRPT) DATA VEGETATIVE INDEX CALCULATION PROCESSOR USER'S MANUAL

S. O. O'Brien

(E81-10073) LIMITED AREA COVERAGE/HIGH
RESOLUTION PICTURE TRANSMISSION (LAC/HRPT)
DATA VEGETATIVE INDEX CALCULATION PROCESSOR
USER'S MANUAL (Lockheed Engineering and
Management) 14 p HC A02/MF A01 CSCL 08F G3/43

N81-13429

Unclas 00073

Lockheed Engineering and Management Services Company, Inc. Houston, Texas 77058



NASA







Lyndon B. Johnson Space Center Houston, Texas 77058

1. Report No. JSC-16375; EW-L0-00703	2. Government Accession No.	3. Recipient's Catalo	g No.
4. Title and Subtitle Limited Area Coverage/High Re: (LAC/HRPT) Data Vegetative Index Calculation		5. Report Date August 1980 6. Performing Organi	
7. Author(s) S. O. O'Brien Lockheed Engineering and Management Services Company, Inc.		Inc. 8. Performing Organi LEMSCO-1532 10. Work Unit No.	
9. Performing Organization Name and Address Lockheed Engineering and Management Services Company, Inc. 1830 NASA Road 1 Houston, Texas 77058		Inc. 11. Contract or Grant NAS 9-15800 13. Type of Report a	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Lyndon B. Johnson Space Center Houston, Texas 77058 J.D. Crickson Tech. Mon.		Procedures 14. Sponsoring Agence 74 on .	y Code
15. Supplementary Notes	,		
The program, LACVIN, calculate Resolution Picture Transmissic IJ grid sections have previous and stored on disk files.	on (LAC/HRPT) Data for se	lected IJ grid sections	. The
17. Key Words (Suggested by Author(s))	18. Distribut	ion Statement	
Vegetative Index Numbers, VIN IJ grid User's Manual			
19. Security Classif. (of this report)	20. Security Classif. (of this page)	21. No. of Pages	22. Price*
Unclassified	Unclassified	14	

LIMITED AREA COVERAGE/HIGH RESOLUTION PICTURE TRANSMISSION (LAC/HRPT) DATA VEGETATIVE INDEX CALCULATION PROCESSOR USER'S MANUAL

Job Order 73-368

PREPARED BY

S. O. O'Brien

APPROVED BY

6. K. Oney, Project Manager Early Warning Project Office

J. E. Wainwright, Manager / Development and Evaluation Department

LOCKHEED ENGINEERING AND MANAGEMENT SERVICES COMPANY, INC.

Under Contract NAS 9-15800

For

Earth Observations Division
Space and Life Sciences Directorate
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
LYNDON B. JOHNSON SPACE CENTER
HOUSTON, TEXAS

CONTENTS

Sec	tion	Page
1.	GENERAL INFORMATION	.1-1
	1.1 <u>SYSTEM NAME</u>	.1-1
	1.2 <u>PRIMARY USER</u>	.1-1
	1.3 <u>DEVELOPING ORGANIZATION</u>	.1-1
	1.4 COMPUTER FACILITY	.1-1
	1.5 <u>REFERENCES</u>	.1-1
	1.5.1 NOAA POLAR ORBITER DATA (TIROS N) USERS GUIDE PRELIMINARY VERSIONJANUARY 1979	
	1.5.2 DEC-11-LMFUA-B-D FORTRAN IV USERS GUIDE	.1-1
2.	DESCRIPTION	.2-1
	2.1 <u>PURPOSE</u>	.2-1
	2.2 <u>USAGE</u>	.2-1
3.	INPUT	.3-1
	3.1 TYPES OF INPUT	.3-1
	3.1.1 TAPE	.3-1
	3.1.2 DISK	.3-1
	3.1.3 CARDS	.3-2
4.	PROCESSING	.4-1
	4.1 <u>INTERACTIVE</u>	. 4-1
	4.2 <u>BATCH</u>	.4-1
	4.3 PROCESSING FLOW	.4-2
5.	OUTPUT	.5-1
	5.1 TYPES OF OUTPUT	.5-1
	5.1.1 TAPE	.5-1

Section	age
5.1.2 DISK	5- 1
5.1.3 PAPER	i - 1
6. SPECIAL INSTRUCTIONS OR RESTRICTIONS	i - 1
FIGURES	
Figure	Page
1. Deck Setup Example	3-3

LIMITED AREA COVERAGE/HIGH RESOLUTION PICTURE TRANSMISSION (LAC/HRPT) DATA VEGETATIVE INDEX CALCULATION PROCESSOR

1. GENERAL INFORMATION

1.1 SYSTEM NAME

LACVIN Processor

1.2 PRIMARY USER

Early Warning/Crop Condition Assessment Project personnel.

1.3 DEVELOPING ORGANIZATION

Lockheed Engineering and Management Services Company, Inc. - S. O. O'Brien

1.4 COMPUTER FACILITY

The LACVIN Processor runs on a DEC PDP 11/70 computer system under the IAS operating system. It is implemented on the USDA FAS computer facility in Houston, Texas.

1.5 REFERENCES

- 1.5.1 NOAA Polar Orbiter Data (Tiros N) Users Guide Preliminary Version January 1979.
- 1.5.2 DEC-11-LMFUA-B-D Fortran IV Users Guide

2. DESCRIPTION

2.1 PURPOSE

The purpose of LACVIN is to calculate vegetation index numbers on the LAC/HRPT data for selected IJ grid sections which have been stored on disk.

2.2 USAGE

The LACVIN processor is set up to run as a batch job. The input will be a disk file containing pixels selected from the LAC/HRPT tapes by the LACREG processor and a control card deck. The VIN numbers will be calculated according to a user-specified option where

Option 1 VIN = Channel(B) - Channel(A)

and

Option 2 VIN = $\frac{\text{(Channel (B) - Channel (A))* 100}}{\text{Channel (B) + Channel (A)}}$

The data will be screened before processing for the VIN as follows:

Channel 1 and 2 data:

Values greater than 500 are set to 251

Values less than 501 are divided by 2 then all values for

Channel 1 are screened using an equation of the general form:

$$\cos((z_1 + z_2)/2)$$

where Z_1 = solar Zenith anle for start of IJ section

 Z_2 = solar Zenith angle for stop of IJ section

This equation is modified when the angles become large.

Channel 3 data:

PIX = (PIX * Slope Coef + Intercept Coef) * 100

All values <20 will be ignored.

Channel 4 data:

PIX * (PIX * Slope Coef + Intercept Coef)

All values <20 will be ignored.

The results of the calculations will be output to the printer.

3. INPUT

3.1 TYPES OF INPUT

3.1.1 TAPE

None

3.1.2 DISK

The data will be stored in a disk file with one 2560 word record for each of the four channels for each IJ grid section. The format of each record is as follows:

Word	Data Type	Contents
1	I	I value
2	I	J value
3	I	Channel number
4	I	Count of number of pixels extracted for this I, J.
5-6	R	Slope coefficient for this channel.
7-8	R	Intercept coefficient for this channel
9-10	R	Latitude for start of search interval for this IJ data on the first line of data for this IJ
11-12	R .	Longitude of start of search interval for this IJ data on the first line of data for this IJ
13-14	R	Zenith angle of LATLON point in words 9-10 and 11-12
15-16	R	Latitude of stop point for search interval for this IJ data on the first scan line of data for this IJ
17-18	R	Longitude of stop point for search interval for this IJ data on the first scan line of data for this IJ
19-20	R	Zenith angle of LATLON point in words 15-16 and 17-18
21-24	R	Unused
25-2560	I	Pixel data 3-1

3.1.3 CARDS

The processor requires the following system control and data cards. See figure 1 for example.

Col 1

¥

\$JOB ERLYWARN2 LACVIN 100

\$RUN LACVIN

A,B

= A and B are 1 digit channel numbers to be used in VIN calculations

N

■ One digit option numbers - either 1 or 2 (section 2.2)

XX

= 2 digit number containing count of IJ values in input disk file, range is 01 - 20, right justified.

YES or NO

* A histogram of the IJ data section will be given if requested.

NNNNNN.TTT;V = File name of disk file input for this processor \$EOJ




Figure 1. Deck Setup Example 3-3

4. PROCESSING

4.1 INTERACTIVE


Not applicable.

4.2 BATCH

The user must submit the deck of cards as described above with a Batch Job Request form. The request form is as follows:

BATCH JOR REQUEST	NAME: Susanne O'Brien	DATE SUBMITTED 6/6/80
REQUEST INSTRUC	TIONS:	
There are no	special instructions.	
	·	
		•
COMPLETION DATE	OPERATOR	
ASRS-104 (1-73)	<u> </u>	MACA

4.3 PROCESSING FLOW



5. OUTPUT

5.1 TYPES OF OUTPUT

5.1.1 TAPE

None

5.1.2 DISK

None

5.1.3 PAPER

The output will be a LAC/HRPT VIN report. It will have one report line per I, J processed. It will contain the following data

I = XXX J = YYY VIN = ZZ.ZZZ PIXELS AVAILABLE = NNNN PIXELS USED = MMMM

6. SPECIAL INSTRUCTIONS OR RESTRICTIONS

None